

Clopay Residential Garage Door Coachman Collection



Model CD


Construction

- Four layers (steel + insulation + steel + composite overlay).
- White custom composite overlay with coped edge.
- Hot-dipped galvanized steel is coated on both sides with a baked-on primer and top coat for a virtually maintenance-free surface.
- Galvanized torsion springs are attractive and longer lasting.
- Heavy-duty 14-gauge steel hinges for long-lasting performance.
- Nylon rollers are durable and quiet.
- Rust-proof aluminum bottom weatherseal retainer and vinyl astragal help seal out the elements.

Insulation

- 1 3/8" polystyrene insulation with thermal break for superior insulation value.
- Insulating R-Value of 6.5

Colors



- Overlays available in White only.

Warranty

- Lifetime limited on paint.
- 10-year limited on windows.
- 5-year limited on hardware.
- 5-year limited on overlay


Model CG

All of the above except:

- 2" polystyrene insulation with thermal break for superior insulation value.
- Insulating R-Value of 9.0

PANEL DESIGNS

GLASS OPTIONS



HARDWARE OPTIONS

Standard Hardware



Handle



Step Plate

Optional Hardware



Fleur de Lis Handle



Fleur de Lis Step Plate



Ring Door Knocker



Lion's Head Door Knocker



Operable Keylocks



Handle with Keyhole



Fleur de Lis Hinge



Strap Hinge